REFERENCES:

1. John Ingle, Leif K Bakland; Endodontics, Fifth Edition; 2002: 571-668
2. Herbert Schilder: Filling root canals in three dimensions. Dental Clinics of North America; November 1967: 723-744.
3. Monticelli F, Sword J, Martin RL, Schuster GS et al. Sealing properties of two contemporary single-cone obturation systems. International Endodontic Journal 2007; 40(5):374-385.
4. Cohen S, Hargreavas K M: Pathways of the pulp. Obturation of the cleaned and shaped root canal system. 9th edition. Chapter 10, 2006:.358-399.
5. Aptekar A, Ginnan K. comparative analysis of micro leakage and seal for 2 obturation materials: Resilon / Epiphany and gutta-percha. Journal of Canadian Dental Association 2006; 72(3):245-245.
6. Williams C, Loushine RJ, Weller RN, Pashley DH et al. A comparison of cohesive strength and stiffness of resilon and gutta-percha. Journal of Endodontics 2006; 32(6):553-555.
7. Maltezos C, Glickman GN, Ezzo P, He J. Comparison of the sealing of resilon, pro root MTA and super-EBA as root-end filling materials: A bacterial leakage study. Journal of Endodontics 2006; 32(4):324-327.
8. Lumbini Pathivada, Karthik Krishna Munagala, Aashima B Dang. Smartseal: New Age Obturation. Annals of Dental Specialty 2013; 01, 01: 13-15.
9. Lases C, Eldeeb ME. The sealing ability of the thermafil obturation technique. Journal of Endodontics 1990; 16(10):474-479.
10. Marciano M., Ordinola-Zapata R., Cavenago B C and Bramante C M et al.: The use of confocal laser scanning microscopy in endodontic research: sealer/dentin interfaces. Microscopy: Science, Technology, Application and Education. 2009, 566-570.
11. Abarca A M, Bustos A, Navia M: A comparison of apical sealing and extrusion between thermafil and lateral compaction techniques; Journal Of Endodontic 2001; 27(11): 670-672

12. Mariusz Lipski: Root surface temperature rises during root canal obturation, in vitro, by the continuous wave of compaction technique using system B heat source. Oral Surgery Oral Medicine Oral Pathology and Oral Radiology 2005; 99(4): 505-10.

13. Giuseppe Cantatore: Root canal obturation and root integrity. Endodontic practice, February 2006.

14. Kontakiotis EG, Tzanetakis GN, Loizides AL. A 12-month longitudinal in vitro leakage study on a new silicon-based root canal filling material (Gutta-Flow). Oral Surgery Oral Medicine Oral Pathology and Oral Radiology 2007; 103(6):854-859.

15. Kandaswamy D, Venteshbabu N, Krishna RG and Hannah R et al. : Comparison of laterally condensed, vertically compacted thermo plasticized, cold free flow GP obturation – A volumetric analysis using spiral CT. Journal of conservative Dentistry, 2009; 12(4): 145-149.

16. Krishna Hari, Water-Expandable Endodontic Obturation Point: A Review. RRJDS | Volume 2 | Issue (Supplement 1) | April - June, 2014

17. Gencoglu N, Metkari , A .I.Kamra et al. Evaluation of quality of apical seal in Resilon/Epiphany SE,gutta-percha/AH Plus and gutta-percha / tubli-seal EWT -filled by dye leakage approach - An in vitro study. Endodontology.

18. Clifford J. Ruddle. The ProTaper technique.Volume 10, Issue 1, pages 187–190, March 2005.

19. De Almeida W A, José Roberto Vanni, Álvaro Della Bona et al in-vivo evaluation of the sealing ability of two endodontic sealers in root canals exposed to the oral environment for 45 and 90 days.J Appl Oral Sci. 2000 Feb; 14(1): 43–48.